

**2022  
Maker Max Table  
Specifications**

**General Information**

Maker Max Tables are durable, functional work tables for crafting and creating in program spaces. Welded and powder coated steel table end frames provides strength. Heavy-duty casters provide mobility. Three (3) different work surface heights include seated 29", counter 36" & cafe 42". Tops are available in either 1-1/4" thick high pressure laminate, 1-1/2" thick solid maple butcher block and 1" thick phenolic resin. *Note some maple tops are 1-3/4" thick.* Optional: Adjustable glides available in lieu of heavy-duty casters.

**Maker Max Table Standards:**

Tops are available in laminate, maple butcher block and phenolic resin  
Laminate Worksurface is 1-1/4" thick with PVC edging  
Standard Laminates available from Wilsonart, Formica, Pionite and Nevamar  
Maple Butcher Block is 1-1/2" thick solid maple hardwood  
Phenolic Resin Top is 1" thick phenolic epoxy resin  
Top overhangs table frame 1-1/2" on all sides  
Frame powder coat available in Platinum Metallic, Black, White and Silver.  
Other colors available for 5% upcharge.  
Heavy Duty locking casters  
\* Solid surface and quartz are also available. Contact 3branch for options.




| ITEM# | DESCRIPTION | WIDTH | DEPTH | HEIGHT |
|-------|-------------|-------|-------|--------|
|-------|-------------|-------|-------|--------|

**maker max tables fixed top - seated height 29"h**

high pressure laminate top w / PVC edge

- MKX-482429-LAM
- MKX-483029-LAM
- MKX-483629-LAM
- MKX-602429-LAM
- MKX-603029-LAM
- MKX-603629-LAM
- MKX-722429-LAM
- MKX-723029-LAM
- MKX-723629-LAM




|    |    |    |
|----|----|----|
| 48 | 24 | 29 |
| 48 | 30 | 29 |
| 48 | 36 | 29 |
| 60 | 24 | 29 |
| 60 | 30 | 29 |
| 60 | 36 | 29 |
| 72 | 24 | 29 |
| 72 | 30 | 29 |
| 72 | 36 | 29 |

**maker max tables fixed top - seated height 29"h**

Fixed maple butcher-block Top w / eased edge

- MKX-482429-BBK
- MKX-483029-BBK
- MKX-483629-BBK
- MKX-602429-BBK
- MKX-603029-BBK
- MKX-603629-BBK
- MKX-722429-BBK
- MKX-723029-BBK
- MKX-723629-BBK



|    |    |    |
|----|----|----|
| 48 | 24 | 29 |
| 48 | 30 | 29 |
| 48 | 36 | 29 |
| 60 | 24 | 29 |
| 60 | 30 | 29 |
| 60 | 36 | 29 |
| 72 | 24 | 29 |
| 72 | 30 | 29 |
| 72 | 36 | 29 |

**2022  
Maker Max Table  
Specifications**

**General Information**

Maker Max Tables are durable, functional work tables for crafting and creating in program spaces. Welded and powder coated steel table end frames provides strength. Heavy-duty casters provide mobility. Three (3) different work surface heights include seated 29", counter 36" & cafe 42". Tops are available in either 1-1/4" thick high pressure laminate, 1-1/2" thick solid maple butcher block and 1" thick phenolic resin. *Note some maple tops are 1-3/4" thick.* Optional: Adjustable glides available in lieu of heavy-duty casters.

**Maker Max Table Standards:**

Tops are available in laminate, maple butcher block and phenolic resin  
Laminate Worksurface is 1-1/4" thick with PVC edging  
Standard Laminates available from Wilsonart, Formica, Pionite and Nevamar  
Maple Butcher Block is 1-1/2" thick solid maple hardwood  
Phenolic Resin Top is 1" thick phenolic epoxy resin  
Top overhangs table frame 1-1/2" on all sides  
Frame powder coat available in Platinum Metallic, Black, White and Silver.  
Other colors available for 5% upcharge.  
Heavy Duty locking casters  
\* Solid surface and quartz are also available. Contact 3branch for options.



| ITEM# | DESCRIPTION | WIDTH | DEPTH | HEIGHT |
|-------|-------------|-------|-------|--------|
|-------|-------------|-------|-------|--------|

**maker max tables fixed top - seated height 29"h**

high pressure laminate top w / PVC edge

- MKX-36-29-LAM
- MKX-42-29-LAM
- MKX-48-29-LAM



- 36" dia 29
- 42" dia 29
- 48" dia 29

- MKX-303029-LAM
- MKX-363629-LAM
- MKX-424229-LAM
- MKX-484829-LAM




- 30 30 29
- 36 36 29
- 42 42 29
- 48 48 29

**maker max tables fixed top - seated height 29"h**

Fixed maple butcher-block Top w / eased edge

- MKX-36-29-BBK (1-3/4" thick)
- MKX-42-29-BBK (1-3/4" thick)
- MKX-48-29-BBK (1-3/4" thick)



- 36" dia 29
- 42" dia 29
- 48" dia 29

- MKX-303029-BBK
- MKX-363629-BBK
- MKX-424229-BBK (1-3/4" thick)
- MKX-484829-BBK (1-3/4" thick)



- 30 30 29
- 36 36 29
- 42 42 29
- 48 48 29

**2022  
Maker Max Table  
Specifications**

**General Information**

Maker Max Tables are durable, functional work tables for crafting and creating in program spaces. Welded and powder coated steel table end frames provides strength. Heavy-duty casters provide mobility. Three (3) different work surface heights include seated 29", counter 36" & cafe 42". Tops are available in either 1-1/4" thick high pressure laminate, 1-1/2" thick solid maple butcher block and 1" thick phenolic resin. *Note some maple tops are 1-3/4" thick.* Optional: Adjustable glides available in lieu of heavy-duty casters.

**Maker Max Table Standards:**

Tops are available in laminate, maple butcher block and phenolic resin  
Laminate Worksurface is 1-1/4" thick with PVC edging  
Standard Laminates available from Wilsonart, Formica, Pionite and Nevamar  
Maple Butcher Block is 1-1/2" thick solid maple hardwood  
Phenolic Resin Top is 1" thick phenolic epoxy resin  
Top overhangs table frame 1-1/2" on all sides  
Frame powder coat available in Platinum Metallic, Black, White and Silver.  
Other colors available for 5% upcharge.  
Heavy Duty locking casters  
\* Solid surface and quartz are also available. Contact 3branch for options.




| ITEM# | DESCRIPTION | WIDTH | DEPTH | HEIGHT |
|-------|-------------|-------|-------|--------|
|-------|-------------|-------|-------|--------|

**maker max tables fixed top - counter height 36"h**

high pressure laminate top w / PVC edge


|                |  |    |    |    |
|----------------|--|----|----|----|
| MKX-482436-LAM |  | 48 | 24 | 36 |
| MKX-483036-LAM |  | 48 | 30 | 36 |
| MKX-483636-LAM |  | 48 | 36 | 36 |
| MKX-602436-LAM |  | 60 | 24 | 36 |
| MKX-603036-LAM |  | 60 | 30 | 36 |
| MKX-603636-LAM |  | 60 | 36 | 36 |
| MKX-722436-LAM |  | 72 | 24 | 36 |
| MKX-723036-LAM |  | 72 | 30 | 36 |
| MKX-723636-LAM |  | 72 | 36 | 36 |



**maker max tables fixed top - counter height 36"h**

Fixed maple butcher-block Top w / eased edge

|                |  |    |    |    |
|----------------|--|----|----|----|
| MKX-482436-BBK |  | 48 | 24 | 36 |
| MKX-483036-BBK |  | 48 | 30 | 36 |
| MKX-483636-BBK |  | 48 | 36 | 36 |
| MKX-602436-BBK |  | 60 | 24 | 36 |
| MKX-603036-BBK |  | 60 | 30 | 36 |
| MKX-603636-BBK |  | 60 | 36 | 36 |
| MKX-722436-BBK |  | 72 | 24 | 36 |
| MKX-723036-BBK |  | 72 | 30 | 36 |
| MKX-723636-BBK |  | 72 | 36 | 36 |



**2022  
Maker Max Table  
Specifications**

**General Information**

Maker Max Tables are durable, functional work tables for crafting and creating in program spaces. Welded and powder coated steel table end frames provides strength. Heavy-duty casters provide mobility. Three (3) different work surface heights include seated 29", counter 36" & cafe 42". Tops are available in either 1-1/4" thick high pressure laminate, 1-1/2" thick solid maple butcher block and 1" thick phenolic resin. *Note some maple tops are 1-3/4" thick.* Optional: Adjustable glides available in lieu of heavy-duty casters.

**Maker Max Table Standards:**

Tops are available in laminate, maple butcher block and phenolic resin  
 Laminate Worksurface is 1-1/4" thick with PVC edging  
 Standard Laminates available from Wilsonart, Formica, Pionite and Nevamar  
 Maple Butcher Block is 1-1/2" thick solid maple hardwood  
 Phenolic Resin Top is 1" thick phenolic epoxy resin  
 Top overhangs table frame 1-1/2" on all sides  
 Frame powder coat available in Platinum Metallic, Black, White and Silver.  
 Other colors available for 5% upcharge.  
 Heavy Duty locking casters  
 \* Solid surface and quartz are also available. Contact 3branch for options.



| ITEM# | DESCRIPTION | WIDTH | DEPTH | HEIGHT |
|-------|-------------|-------|-------|--------|
|-------|-------------|-------|-------|--------|

**maker max tables fixed top - counter height 36"h**

high pressure laminate top w / PVC edge

|                |  |         |    |    |
|----------------|--|---------|----|----|
| MKX-36-36-LAM  |  | 36" dia |    | 36 |
| MKX-42-36-LAM  |  | 42" dia |    | 36 |
| MKX-48-36-LAM  |  | 48" dia |    | 36 |
| MKX-303036-LAM |  | 30      | 30 | 36 |
| MKX-363636-LAM |  | 36      | 36 | 36 |
| MKX-424236-LAM |  | 42      | 42 | 36 |
| MKX-484836-LAM |  | 48      | 48 | 36 |

**maker max tables fixed top - counter height 36"h**

Fixed maple butcher-block Top w / eased edge

|                               |  |         |    |    |
|-------------------------------|--|---------|----|----|
| MKX-36-36-BBK (1-3/4" thick)  |  | 36" dia |    | 36 |
| MKX-42-36-BBK (1-3/4" thick)  |  | 42" dia |    | 36 |
| MKX-48-36-BBK (1-3/4" thick)  |  | 48" dia |    | 36 |
| MKX-303036-BBK                |  | 30      | 30 | 36 |
| MKX-363636-BBK                |  | 36      | 36 | 36 |
| MKX-424236-BBK (1-3/4" thick) |  | 42      | 42 | 36 |
| MKX-484836-BBK (1-3/4" thick) |  | 48      | 48 | 36 |

**2022  
Maker Max Table  
Specifications**

**General Information**

Maker Max Tables are durable, functional work tables for crafting and creating in program spaces. Welded and powder coated steel table end frames provides strength. Heavy-duty casters provide mobility. Three (3) different work surface heights include seated 29", counter 36" & cafe 42". Tops are available in either 1-1/4" thick high pressure laminate, 1-1/2" thick solid maple butcher block and 1" thick phenolic resin. *Note some maple tops are 1-3/4" thick.* Optional: Adjustable glides available in lieu of heavy-duty casters.

**Maker Max Table Standards:**

Tops are available in laminate, maple butcher block and phenolic resin  
Laminate Worksurface is 1-1/4" thick with PVC edging  
Standard Laminates available from Wilsonart, Formica, Pionite and Nevamar  
Maple Butcher Block is 1-1/2" thick solid maple hardwood  
Phenolic Resin Top is 1" thick phenolic epoxy resin  
Top overhangs table frame 1-1/2" on all sides  
Frame powder coat available in Platinum Metallic, Black, White and Silver.  
Other colors available for 5% upcharge.  
Heavy Duty locking casters  
\* Solid surface and quartz are also available. Contact 3branch for options.




| ITEM# | DESCRIPTION | WIDTH | DEPTH | HEIGHT |
|-------|-------------|-------|-------|--------|
|-------|-------------|-------|-------|--------|

**maker max tables fixed top - cafe height 42"h**

high pressure laminate top w / PVC edge

- MKX-482442-LAM
- MKX-483042-LAM
- MKX-483642-LAM
- MKX-602442-LAM
- MKX-603042-LAM
- MKX-603642-LAM
- MKX-722442-LAM
- MKX-723042-LAM
- MKX-723642-LAM




|    |    |    |
|----|----|----|
| 48 | 24 | 42 |
| 48 | 30 | 42 |
| 48 | 36 | 42 |
| 60 | 24 | 42 |
| 60 | 30 | 42 |
| 60 | 36 | 42 |
| 72 | 24 | 42 |
| 72 | 30 | 42 |
| 72 | 36 | 42 |

**maker max tables fixed top - cafe height 42"h**

Fixed maple butcher-block Top w / eased edge

- MKX-482442-BBK
- MKX-483042-BBK
- MKX-483642-BBK
- MKX-602442-BBK
- MKX-603042-BBK
- MKX-603642-BBK
- MKX-722442-BBK
- MKX-723042-BBK
- MKX-723642-BBK



|    |    |    |
|----|----|----|
| 48 | 24 | 42 |
| 48 | 30 | 42 |
| 48 | 36 | 42 |
| 60 | 24 | 42 |
| 60 | 30 | 42 |
| 60 | 36 | 42 |
| 72 | 24 | 42 |
| 72 | 30 | 42 |
| 72 | 36 | 42 |

**2022  
Maker Max Table  
Specifications**

**General Information**

Maker Max Tables are durable, functional work tables for crafting and creating in program spaces. Welded and powder coated steel table end frames provides strength. Heavy-duty casters provide mobility. Three (3) different work surface heights include seated 29", counter 36" & cafe 42". Tops are available in either 1-1/4" thick high pressure laminate, 1-1/2" thick solid maple butcher block and 1" thick phenolic resin. *Note some maple tops are 1-3/4" thick.* Optional: Adjustable glides available in lieu of heavy-duty casters.

**Maker Max Table Standards:**

Tops are available in laminate, maple butcher block and phenolic resin  
 Laminate Worksurface is 1-1/4" thick with PVC edging  
 Standard Laminates available from Wilsonart, Formica, Pionite and Nevamar  
 Maple Butcher Block is 1-1/2" thick solid maple hardwood  
 Phenolic Resin Top is 1" thick phenolic epoxy resin  
 Top overhangs table frame 1-1/2" on all sides  
 Frame powder coat available in Platinum Metallic, Black, White and Silver.  
 Other colors available for 5% upcharge.  
 Heavy Duty locking casters  
 \* Solid surface and quartz are also available. Contact 3branch for options.



| ITEM# | DESCRIPTION | WIDTH | DEPTH | HEIGHT |
|-------|-------------|-------|-------|--------|
|-------|-------------|-------|-------|--------|

**maker max tables fixed top - cafe height 42"h**

high pressure laminate top w / PVC edge

|                |  |         |    |    |
|----------------|--|---------|----|----|
| MKX-36-42-LAM  |  | 36" dia |    | 42 |
| MKX-42-42-LAM  |  | 42" dia |    | 42 |
| MKX-48-42-LAM  |  | 48" dia |    | 42 |
| MKX-303042-LAM |  | 30      | 30 | 42 |
| MKX-363642-LAM |  | 36      | 36 | 42 |
| MKX-424242-LAM |  | 42      | 42 | 42 |
| MKX-484842-LAM |  | 48      | 48 | 42 |

**maker max tables fixed top - cafe height 42"h**

Fixed maple butcher-block Top w / eased edge

|                               |  |         |    |    |
|-------------------------------|--|---------|----|----|
| MKX-36-42-BBK (1-3/4" thick)  |  | 36" dia |    | 42 |
| MKX-42-42-BBK (1-3/4" thick)  |  | 42" dia |    | 42 |
| MKX-48-42-BBK (1-3/4" thick)  |  | 48" dia |    | 42 |
| MKX-303042-BBK                |  | 30      | 30 | 42 |
| MKX-363642-BBK                |  | 36      | 36 | 42 |
| MKX-424242-BBK (1-3/4" thick) |  | 42      | 42 | 42 |
| MKX-484842-BBK (1-3/4" thick) |  | 48      | 48 | 42 |


**2022  
Maker Max Table  
Specifications**

**General Information**

Maker Max Tables are durable, functional work tables for crafting and creating in program spaces. Welded and powder coated steel table end frames provides strength. Heavy-duty casters provide mobility. Three (3) different work surface heights include seated 29", counter 36" & cafe 42". Tops are available in either 1-1/4" thick high pressure laminate, 1-1/2" thick solid maple butcher block and 1" thick phenolic resin. *Note some maple tops are 1-3/4" thick.* Optional: Adjustable glides available in lieu of heavy-duty casters.

**Maker Max Table Standards:**

- Tops are available in laminate, maple butcher block and phenolic resin
- Laminate Worksurface is 1-1/4" thick with PVC edging
- Standard Laminates available from Wilsonart, Formica, Pionite and Nevamar
- Maple Butcher Block is 1-1/2" thick solid maple hardwood
- Phenolic Resin Top is 1" thick phenolic epoxy resin
- Top overhangs table frame 1-1/2" on all sides
- Frame powder coat available in Platinum Metallic, Black, White and Silver.
- Other colors available for 5% upcharge.
- Heavy Duty locking casters
- \* Solid surface and quartz are also available. Contact 3branch for options.



| ITEM# | DESCRIPTION | WIDTH | DEPTH | HEIGHT |
|-------|-------------|-------|-------|--------|
|-------|-------------|-------|-------|--------|

**maker max tables fixed top - seated height 29"h**

phenolic resin top

- MKX-482429-RSN
- MKX-483029-RSN
- MKX-602429-RSN
- MKX-603029-RSN
- MKX-722429-RSN
- MKX-723029-RSN



|    |    |    |
|----|----|----|
| 48 | 24 | 29 |
| 48 | 30 | 29 |
| 60 | 24 | 29 |
| 60 | 30 | 29 |
| 72 | 24 | 29 |
| 72 | 30 | 29 |

**maker max tables fixed top - Counter height 36"h**

phenolic resin top

- MKX-482436-RSN
- MKX-483036-RSN
- MKX-602436-RSN
- MKX-603036-RSN
- MKX-722436-RSN
- MKX-723036-RSN



|    |    |    |
|----|----|----|
| 48 | 24 | 36 |
| 48 | 30 | 36 |
| 60 | 24 | 36 |
| 60 | 30 | 36 |
| 72 | 24 | 36 |
| 72 | 30 | 36 |