


**GENERAL INFORMATION**

Maker Flex **Kids** Tables adjust from 24" to 34" high to accommodate a range of ages and activities. These tables are durable, functional work tables offered in variety of combinations, allowing for flexibility in program and classroom spaces. Powder coated steel table bases provide strength. Casters provide mobility. Tables are unassembled and ship flat. Product description:

- Four distinct models, including:
  - **fixed height**
  - **adjustable height**
  - **flip top/nesting**
  - **adjustable height + flip top/nesting**
- Worksurface options include 1-1/4" thick MDF with standard laminate surface and edge banding or 1-1/2" thick, solid maple butcher block with eased corners and edges.
  - Standard laminate offerings from Wilsonart®, Formica®, Pionite®, and Nevamar®
  - Edge band: coordinating standard colors
- Powder coated base available in Platinum Metallic, Black, White and Silver
  - Other colors available for 5% upcharge
- Locking casters
  - optional adjustable glides in lieu of casters



**Product Standards - Fixed Height**


- Fixed worksurface is 24" above finished floor (AFF) with casters
  - Dimensions are nominal and subject to slight variation.

ITEM	WIDTH   DEPTH   HEIGHT		
<b>laminate top, fixed height - 24"h</b>			
MFC-362424-FIXT-LAM-CAS	36	24	24
MFC-363024-FIXT-LAM-CAS	36	30	24
MFC-363624-FIXT-LAM-CAS	36	36	24
MFC-422424-FIXT-LAM-CAS	42	24	24
MFC-423024-FIXT-LAM-CAS	42	30	24
MFC-423624-FIXT-LAM-CAS	42	36	24
MFC-482424-FIXT-LAM-CAS	48	24	24
MFC-483024-FIXT-LAM-CAS	48	30	24
MFC-483624-FIXT-LAM-CAS	48	36	24
MFC-542424-FIXT-LAM-CAS	54	24	24
MFC-543024-FIXT-LAM-CAS	54	30	24
MFC-543624-FIXT-LAM-CAS	54	36	24
MFC-602424-FIXT-LAM-CAS	60	24	24
MFC-603024-FIXT-LAM-CAS	60	30	24
MFC-603624-FIXT-LAM-CAS	60	36	24
MFC-662424-FIXT-LAM-CAS	66	24	24
MFC-663024-FIXT-LAM-CAS	66	30	24
MFC-663624-FIXT-LAM-CAS	66	36	24
MFC-722424-FIXT-LAM-CAS	72	24	24
MFC-723024-FIXT-LAM-CAS	72	30	24
MFC-723624-FIXT-LAM-CAS	72	36	24

ITEM	WIDTH   DEPTH   HEIGHT
<b>butcher block top, fixed height - 24"h</b>	
MFC-362424-FIXT-BBK-CAS	36   24   24
MFC-363024-FIXT-BBK-CAS	36   30   24
MFC-363624-FIXT-BBK-CAS	36   36   24
MFC-422424-FIXT-BBK-CAS	42   24   24
MFC-423024-FIXT-BBK-CAS	42   30   24
MFC-423624-FIXT-BBK-CAS	42   36   24
MFC-482424-FIXT-BBK-CAS	48   24   24
MFC-483024-FIXT-BBK-CAS	48   30   24
MFC-483624-FIXT-BBK-CAS	48   36   24
MFC-542424-FIXT-BBK-CAS	54   24   24
MFC-543024-FIXT-BBK-CAS	54   30   24
MFC-543624-FIXT-BBK-CAS	54   36   24
MFC-602424-FIXT-BBK-CAS	60   24   24
MFC-603024-FIXT-BBK-CAS	60   30   24
MFC-603624-FIXT-BBK-CAS	60   36   24
MFC-662424-FIXT-BBK-CAS	66   24   24
MFC-663024-FIXT-BBK-CAS	66   30   24
MFC-663624-FIXT-BBK-CAS	66   36   24
MFC-722424-FIXT-BBK-CAS	72   24   24
MFC-723024-FIXT-BBK-CAS	72   30   24
MFC-723624-FIXT-BBK-CAS	72   36   24

**Product Standards - Adjustable Height**

- Height-adjustable worksurface range is 24"-34" AFF with casters. (Dimensions are nominal and subject to slight variation.)
- Retractable hand crank.




**lamine top, adjustable height: 24-34"h**

MFC-3624-ADJT-LAM-CAS	36   24   24-34
MFC-3630-ADJT-LAM-CAS	36   30   24-34
MFC-3636-ADJT-LAM-CAS	36   36   24-34
MFC-4224-ADJT-LAM-CAS	42   24   24-34
MFC-4230-ADJT-LAM-CAS	42   30   24-34
MFC-4236-ADJT-LAM-CAS	42   36   24-34
MFC-4824-ADJT-LAM-CAS	48   24   24-34
MFC-4830-ADJT-LAM-CAS	48   30   24-34
MFC-4836-ADJT-LAM-CAS	48   36   24-34
MFC-5424-ADJT-LAM-CAS	54   24   24-34
MFC-5430-ADJT-LAM-CAS	54   30   24-34
MFC-5436-ADJT-LAM-CAS	54   36   24-34
MFC-6024-ADJT-LAM-CAS	60   24   24-34
MFC-6030-ADJT-LAM-CAS	60   30   24-34
MFC-6036-ADJT-LAM-CAS	60   36   24-34
MFC-6624-ADJT-LAM-CAS	66   24   24-34
MFC-6630-ADJT-LAM-CAS	66   30   24-34
MFC-6636-ADJT-LAM-CAS	66   36   24-34
MFC-7224-ADJT-LAM-CAS	72   24   24-34
MFC-7230-ADJT-LAM-CAS	72   30   24-34
MFC-7236-ADJT-LAM-CAS	72   36   24-34

ITEM	WIDTH   DEPTH   HEIGHT
<b>butcher block top, adjustable height: 24-34" h</b>	
MFC-3624-ADJT-BBK-CAS	36   24   24-34
MFC-3630-ADJT-BBK-CAS	36   30   24-34
MFC-3636-ADJT-BBK-CAS	36   36   24-34
MFC-4224-ADJT-BBK-CAS	42   24   24-34
MFC-4230-ADJT-BBK-CAS	42   30   24-34
MFC-4236-ADJT-BBK-CAS	42   36   24-34
MFC-4824-ADJT-BBK-CAS	48   24   24-34
MFC-4830-ADJT-BBK-CAS	48   30   24-34
MFC-4836-ADJT-BBK-CAS	48   36   24-34
MFC-5424-ADJT-BBK-CAS	54   24   24-34
MFC-5430-ADJT-BBK-CAS	54   30   24-34
MFC-5436-ADJT-BBK-CAS	54   36   24-34
MFC-6024-ADJT-BBK-CAS	60   24   24-34
MFC-6030-ADJT-BBK-CAS	60   30   24-34
MFC-6036-ADJT-BBK-CAS	60   36   24-34
MFC-6624-ADJT-BBK-CAS	66   24   24-34
MFC-6630-ADJT-BBK-CAS	66   30   24-34
MFC-6636-ADJT-BBK-CAS	66   36   24-34
MFC-7224-ADJT-BBK-CAS	72   24   24-34
MFC-7230-ADJT-BBK-CAS	72   30   24-34
MFC-7236-ADJT-BBK-CAS	72   36   24-34

**Product Standards - Fixed Height + Nesting/Flip top**

- Nesting /flip top worksurface is 24" above finished floor (AFF) with casters.
  - Dimensions are nominal and subject to slight variation.




**laminite top, fixed height + nesting - 24" h**

MFC-362424-NEST-FIXT-LAM-CAS	36	24	24
MFC-363024-NEST-FIXT-LAM-CAS	36	30	24
MFC-363624-NEST-FIXT-LAM-CAS	36	36	24
MFC-422424-NEST-FIXT-LAM-CAS	42	24	24
MFC-423024-NEST-FIXT-LAM-CAS	42	30	24
MFC-423624-NEST-FIXT-LAM-CAS	42	36	24
MFC-482424-NEST-FIXT-LAM-CAS	48	24	24
MFC-483024-NEST-FIXT-LAM-CAS	48	30	24
MFC-483624-NEST-FIXT-LAM-CAS	48	36	24
MFC-542424-NEST-FIXT-LAM-CAS	54	24	24
MFC-543024-NEST-FIXT-LAM-CAS	54	30	24
MFC-543624-NEST-FIXT-LAM-CAS	54	36	24
MFC-602424-NEST-FIXT-LAM-CAS	60	24	24
MFC-603024-NEST-FIXT-LAM-CAS	60	30	24
MFC-603624-NEST-FIXT-LAM-CAS	60	36	24
MFC-662424-NEST-FIXT-LAM-CAS	66	24	24
MFC-663024-NEST-FIXT-LAM-CAS	66	30	24
MFC-663624-NEST-FIXT-LAM-CAS	66	36	24
MFC-722424-NEST-FIXT-LAM-CAS	72	24	24
MFC-723024-NEST-FIXT-LAM-CAS	72	30	24
MFC-723624-NEST-FIXT-LAM-CAS	72	36	24

ITEM	WIDTH   DEPTH   HEIGHT
<b>butcher block top, fixed height + nesting - 24"h</b>	
MFC-362424-NEST-FIXT-BBK-CAS	36   24   24
MFC-363024-NEST-FIXT-BBK-CAS	36   30   24
MFC-363624-NEST-FIXT-BBK-CAS	36   36   24
MFC-422424-NEST-FIXT-BBK-CAS	42   24   24
MFC-423024-NEST-FIXT-BBK-CAS	42   30   24
MFC-423624-NEST-FIXT-BBK-CAS	42   36   24
MFC-482424-NEST-FIXT-BBK-CAS	48   24   24
MFC-483024-NEST-FIXT-BBK-CAS	48   30   24
MFC-483624-NEST-FIXT-BBK-CAS	48   36   24
MFC-542424-NEST-FIXT-BBK-CAS	54   24   24
MFC-543024-NEST-FIXT-BBK-CAS	54   30   24
MFC-543624-NEST-FIXT-BBK-CAS	54   36   24
MFC-602424-NEST-FIXT-BBK-CAS	60   24   24
MFC-603024-NEST-FIXT-BBK-CAS	60   30   24
MFC-603624-NEST-FIXT-BBK-CAS	60   36   24
MFC-662424-NEST-FIXT-BBK-CAS	66   24   24
MFC-663024-NEST-FIXT-BBK-CAS	66   30   24
MFC-663624-NEST-FIXT-BBK-CAS	66   36   24
MFC-722424-NEST-FIXT-BBK-CAS	72   24   24
MFC-723024-NEST-FIXT-BBK-CAS	72   30   24
MFC-723624-NEST-FIXT-BBK-CAS	72   36   24

**Product Standards - Adjustable Height + Nesting/Flip Top**

- Flip top and height-adjustable worksurface range is 24"-34" AFF with casters. (Dimensions are nominal and subject to slight variation.)
- Retractable hand crank..



**lamine top, nesting/adjustable height: 24-34"h**




MFC-3624-NEST-ADJT-LAM-CAS-RHC	36	24	24-34
MFC-3630-NEST-ADJT-LAM-CAS-RHC	36	30	24-34
MFC-3636-NEST-ADJT-LAM-CAS-RHC	36	36	24-34
MFC-4224-NEST-ADJT-LAM-CAS-RHC	42	24	24-34
MFC-4230-NEST-ADJT-LAM-CAS-RHC	42	30	24-34
MFC-4236-NEST-ADJT-LAM-CAS-RHC	42	36	24-34
MFC-4824-NEST-ADJT-LAM-CAS	48	24	24-34
MFC-4830-NEST-ADJT-LAM-CAS	48	30	24-34
MFC-4836-NEST-ADJT-LAM-CAS	48	36	24-34
MFC-5424-NEST-ADJT-LAM-CAS	54	24	24-34
MFC-5430-NEST-ADJT-LAM-CAS	54	30	24-34
MFC-5436-NEST-ADJT-LAM-CAS	54	36	24-34
MFC-6024-NEST-ADJT-LAM-CAS	60	24	24-34
MFC-6030-NEST-ADJT-LAM-CAS	60	30	24-34
MFC-6036-NEST-ADJT-LAM-CAS	60	36	24-34
MFC-6624-NEST-ADJT-LAM-CAS	66	24	24-34
MFC-6630-NEST-ADJT-LAM-CAS	66	30	24-34
MFC-6636-NEST-ADJT-LAM-CAS	66	36	24-34
MFC-7224-NEST-ADJT-LAM-CAS	72	24	24-34
MFC-7230-NEST-ADJT-LAM-CAS	72	30	24-34
MFC-7236-NEST-ADJT-LAM-CAS	72	36	24-34

ITEM	WIDTH   DEPTH   HEIGHT
<b>butcher block top, nesting/adjustable height: 24-34"h</b>	
MFC-3624-NEST-ADJT-BBK-CAS-RHC	36   24   24-34
MFC-3630-NEST-ADJT-BBK-CAS-RHC	36   30   24-34
MFC-3636-NEST-ADJT-BBK-CAS-RHC	36   36   24-34
MFC-4224-NEST-ADJT-BBK-CAS-RHC	42   24   24-34
MFC-4230-NEST-ADJT-BBK-CAS-RHC	42   30   24-34
MFC-4236-NEST-ADJT-BBK-CAS-RHC	42   36   24-34
MFC-4824-NEST-ADJT-BBK-CAS	48   24   24-34
MFC-4830-NEST-ADJT-BBK-CAS	48   30   24-34
MFC-4836-NEST-ADJT-BBK-CAS	48   36   24-34
MFC-5424-NEST-ADJT-BBK-CAS	54   24   24-34
MFC-5430-NEST-ADJT-BBK-CAS	54   30   24-34
MFC-5436-NEST-ADJT-BBK-CAS	54   36   24-34
MFC-6024-NEST-ADJT-BBK-CAS	60   24   24-34
MFC-6030-NEST-ADJT-BBK-CAS	60   30   24-34
MFC-6036-NEST-ADJT-BBK-CAS	60   36   24-34
MFC-6624-NEST-ADJT-BBK-CAS	66   24   24-34
MFC-6630-NEST-ADJT-BBK-CAS	66   30   24-34
MFC-6636-NEST-ADJT-BBK-CAS	66   36   24-34
MFC-7224-NEST-ADJT-BBK-CAS	72   24   24-34
MFC-7230-NEST-ADJT-BBK-CAS	72   30   24-34
MFC-7236-NEST-ADJT-BBK-CAS	72   36   24-34

**radius corner option**

Rounded corners with 3" radius. Available for both laminate and butcher block tops.

RAD-CRNR-LAM  
RAD-CRNR-BBK



**storage depth**

Storage depth dimensions provided for planning purposes.

ITEM	STORAGE DEPTH FORMULA
24" deep table storage depth	= 18" + (# of tables - 1) x 7.25"
30" deep table storage depth	= 22" + (# of tables - 1) x 7.25"
36" deep table storage depth	= 26" + (# of tables - 1) x 7.25"