

GENERAL INFORMATION

Maker Flex Tables are durable, functional work tables offered in variety of combinations, allowing for flexibility in program and classroom spaces. Powder coated steel table bases provide strength. Casters provide mobility. Tables are unassembled and ship flat.

Product description:

- Four distinct models, including:
 - **fixed height**
 - **adjustable height**
 - **flip top/nesting**
 - **adjustable height + flip top/nesting**
- Worksurface options include 1-1/4" thick MDF with standard laminate surface and edge banding or 1-1/2" thick, solid maple butcher block with eased corners and edges.
 - Standard laminate offerings from Wilsonart®, Formica®, Pionite®, and Nevamar®
 - Edge band: coordinating standard colors
- Powder coated base available in Platinum Metallic, Black, White and Silver
 - Other colors available for 5% upcharge
- Locking casters
 - optional adjustable glides in lieu of casters

Product Standards - Fixed Height

- Fixed worksurface is 29" or 36" above finished floor (AFF) with casters.
 - Dimensions are nominal and subject to slight variation.



ITEM	WIDTH	DEPTH	HEIGHT
laminate top, fixed height - 29"h			
MF-482429-FIXT-LAM-CAS	48	24	29
MF-483029-FIXT-LAM-CAS	48	30	29
MF-483629-FIXT-LAM-CAS	48	36	29
MF-542429-FIXT-LAM-CAS	54	24	29
MF-543029-FIXT-LAM-CAS	54	30	29
MF-543629-FIXT-LAM-CAS	54	36	29
MF-602429-FIXT-LAM-CAS	60	24	29
MF-603029-FIXT-LAM-CAS	60	30	29
MF-603629-FIXT-LAM-CAS	60	36	29
MF-662429-FIXT-LAM-CAS	66	24	29
MF-663029-FIXT-LAM-CAS	66	30	29
MF-663629-FIXT-LAM-CAS	66	36	29
MF-722429-FIXT-LAM-CAS	72	24	29
MF-723029-FIXT-LAM-CAS	72	30	29
MF-723629-FIXT-LAM-CAS	72	36	29

ITEM	WIDTH	DEPTH	HEIGHT
laminate top, fixed height - 36"h			
MF-482436-FIXT-LAM-CAS	48	24	36
MF-483036-FIXT-LAM-CAS	48	30	36
MF-483636-FIXT-LAM-CAS	48	36	36
MF-542436-FIXT-LAM-CAS	54	24	36
MF-543036-FIXT-LAM-CAS	54	30	36
MF-543636-FIXT-LAM-CAS	54	36	36
MF-602436-FIXT-LAM-CAS	60	24	36
MF-603036-FIXT-LAM-CAS	60	30	36
MF-603636-FIXT-LAM-CAS	60	36	36
MF-662436-FIXT-LAM-CAS	66	24	36
MF-663036-FIXT-LAM-CAS	66	30	36
MF-663636-FIXT-LAM-CAS	66	36	36
MF-722436-FIXT-LAM-CAS	72	24	36
MF-723036-FIXT-LAM-CAS	72	30	36
MF-723636-FIXT-LAM-CAS	72	36	36
butcher block top, fixed height - 29"h			
MF-482429-FIXT-BBK-CAS	48	24	29
MF-483029-FIXT-BBK-CAS	48	30	29
MF-483629-FIXT-BBK-CAS	48	36	29
MF-542429-FIXT-BBK-CAS	54	24	29
MF-543029-FIXT-BBK-CAS	54	30	29
MF-543629-FIXT-BBK-CAS	54	36	29
MF-602429-FIXT-BBK-CAS	60	24	29
MF-603029-FIXT-BBK-CAS	60	30	29
MF-603629-FIXT-BBK-CAS	60	36	29
MF-662429-FIXT-BBK-CAS	66	24	29
MF-663029-FIXT-BBK-CAS	66	30	29
MF-663629-FIXT-BBK-CAS	66	36	29
MF-722429-FIXT-BBK-CAS	72	24	29
MF-723029-FIXT-BBK-CAS	72	30	29
MF-723629-FIXT-BBK-CAS	72	36	29
butcher block top, fixed height - 36"h			
MF-482436-FIXT-BBK-CAS	48	24	36
MF-483036-FIXT-BBK-CAS	48	30	36
MF-483636-FIXT-BBK-CAS	48	36	36
MF-542436-FIXT-BBK-CAS	54	24	36
MF-543036-FIXT-BBK-CAS	54	30	36
MF-543636-FIXT-BBK-CAS	54	36	36
MF-602436-FIXT-BBK-CAS	60	24	36
MF-603036-FIXT-BBK-CAS	60	30	36
MF-603636-FIXT-BBK-CAS	60	36	36
MF-662436-FIXT-BBK-CAS	66	24	36
MF-663036-FIXT-BBK-CAS	66	30	36
MF-663636-FIXT-BBK-CAS	66	36	36
MF-722436-FIXT-BBK-CAS	72	24	36
MF-723036-FIXT-BBK-CAS	72	30	36
MF-723636-FIXT-BBK-CAS	72	36	36

Product Standards - Adjustable Height

- Height-adjustable worksurface range is 29"-42" AFF with casters.
(Dimensions are nominal and subject to slight variation.)
- Retractable hand crank.



ITEM	WIDTH DEPTH HEIGHT
------	------------------------

lamine top, adjustable height: 29-42" h



MF-4824-ADJT-LAM-CAS	48	24	29-42
MF-4830-ADJT-LAM-CAS	48	30	29-42
MF-4836-ADJT-LAM-CAS	48	36	29-42
MF-5424-ADJT-LAM-CAS	54	24	29-42
MF-5430-ADJT-LAM-CAS	54	30	29-42
MF-5436-ADJT-LAM-CAS	54	36	29-42
MF-6024-ADJT-LAM-CAS	60	24	29-42
MF-6030-ADJT-LAM-CAS	60	30	29-42
MF-6036-ADJT-LAM-CAS	60	36	29-42
MF-6624-ADJT-LAM-CAS	66	24	29-42
MF-6630-ADJT-LAM-CAS	66	30	29-42
MF-6636-ADJT-LAM-CAS	66	36	29-42
MF-7224-ADJT-LAM-CAS	72	24	29-42
MF-7230-ADJT-LAM-CAS	72	30	29-42
MF-7236-ADJT-LAM-CAS	72	36	29-42

butcher block top, adjustable height: 30-42" h

MF-4824-ADJT-BBK-CAS	48	24	30-42
MF-4830-ADJT-BBK-CAS	48	30	30-42
MF-4836-ADJT-BBK-CAS	48	36	30-42
MF-5424-ADJT-BBK-CAS	54	24	30-42
MF-5430-ADJT-BBK-CAS	54	30	30-42
MF-5436-ADJT-BBK-CAS	54	36	30-42
MF-6024-ADJT-BBK-CAS	60	24	30-42
MF-6030-ADJT-BBK-CAS	60	30	30-42
MF-6036-ADJT-BBK-CAS	60	36	30-42
MF-6624-ADJT-BBK-CAS	66	24	30-42
MF-6630-ADJT-BBK-CAS	66	30	30-42
MF-6636-ADJT-BBK-CAS	66	36	30-42
MF-7224-ADJT-BBK-CAS	72	24	30-42
MF-7230-ADJT-BBK-CAS	72	30	30-42
MF-7236-ADJT-BBK-CAS	72	36	30-42

Product Standards - Fixed Height + Flip top/Nesting

- Nesting / flip top worksurface is 29" or 36" AFF with casters.
 - Dimensions are nominal and subject to slight variation.



ITEM	WIDTH DEPTH HEIGHT
------	------------------------

lamine top, fixed height + nesting - 29" h


MF-482429-NEST-FIXT-LAM-CAS	48	24	29
MF-483029-NEST-FIXT-LAM-CAS	48	30	29
MF-483629-NEST-FIXT-LAM-CAS	48	36	29
MF-542429-NEST-FIXT-LAM-CAS	54	24	29
MF-543029-NEST-FIXT-LAM-CAS	54	30	29
MF-543629-NEST-FIXT-LAM-CAS	54	36	29
MF-602429-NEST-FIXT-LAM-CAS	60	24	29
MF-603029-NEST-FIXT-LAM-CAS	60	30	29
MF-603629-NEST-FIXT-LAM-CAS	60	36	29
MF-662429-NEST-FIXT-LAM-CAS	66	24	29
MF-663029-NEST-FIXT-LAM-CAS	66	30	29
MF-663629-NEST-FIXT-LAM-CAS	66	36	29
MF-722429-NEST-FIXT-LAM-CAS	72	24	29
MF-723029-NEST-FIXT-LAM-CAS	72	30	29
MF-723629-NEST-FIXT-LAM-CAS	72	36	29

lamine top, fixed height + nesting - 36" h

MF-482436-NEST-FIXT-LAM-CAS	48	24	36
MF-483036-NEST-FIXT-LAM-CAS	48	30	36
MF-483636-NEST-FIXT-LAM-CAS	48	36	36
MF-542436-NEST-FIXT-LAM-CAS	54	24	36
MF-543036-NEST-FIXT-LAM-CAS	54	30	36
MF-543636-NEST-FIXT-LAM-CAS	54	36	36
MF-602436-NEST-FIXT-LAM-CAS	60	24	36
MF-603036-NEST-FIXT-LAM-CAS	60	30	36
MF-603636-NEST-FIXT-LAM-CAS	60	36	36
MF-662436-NEST-FIXT-LAM-CAS	66	24	36
MF-663036-NEST-FIXT-LAM-CAS	66	30	36
MF-663636-NEST-FIXT-LAM-CAS	66	36	36
MF-722436-NEST-FIXT-LAM-CAS	72	24	36
MF-723036-NEST-FIXT-LAM-CAS	72	30	36
MF-723636-NEST-FIXT-LAM-CAS	72	36	36

butcher block top, fixed height + nesting - 29" h

MF-482429-NEST-FIXT-BBK-CAS	48	24	29
MF-483029-NEST-FIXT-BBK-CAS	48	30	29
MF-483629-NEST-FIXT-BBK-CAS	48	36	29
MF-542429-NEST-FIXT-BBK-CAS	54	24	29
MF-543029-NEST-FIXT-BBK-CAS	54	30	29
MF-543629-NEST-FIXT-BBK-CAS	54	36	29


ITEM	WIDTH DEPTH HEIGHT
butcher block top, fixed height + nesting - 29"h (contd.)	
MF-602429-NEST-FIXT-BBK-CAS	60 24 29
MF-603029-NEST-FIXT-BBK-CAS	60 30 29
MF-603629-NEST-FIXT-BBK-CAS	60 36 29
MF-662429-NEST-FIXT-BBK-CAS	66 24 29
MF-663029-NEST-FIXT-BBK-CAS	66 30 29
MF-663629-NEST-FIXT-BBK-CAS	66 36 29
MF-722429-NEST-FIXT-BBK-CAS	72 24 29
MF-723029-NEST-FIXT-BBK-CAS	72 30 29
MF-723629-NEST-FIXT-BBK-CAS	72 36 29
butcher block top, fixed height + nesting - 36"h	
MF-482436-NEST-FIXT-BBK-CAS	48 24 36
MF-483036-NEST-FIXT-BBK-CAS	48 30 36
MF-483636-NEST-FIXT-BBK-CAS	48 36 36
MF-542436-NEST-FIXT-BBK-CAS	54 24 36
MF-543036-NEST-FIXT-BBK-CAS	54 30 36
MF-543636-NEST-FIXT-BBK-CAS	54 36 36
MF-602436-NEST-FIXT-BBK-CAS	60 24 36
MF-603036-NEST-FIXT-BBK-CAS	60 30 36
MF-603636-NEST-FIXT-BBK-CAS	60 36 36
MF-662436-NEST-FIXT-BBK-CAS	66 24 36
MF-663036-NEST-FIXT-BBK-CAS	66 30 36
MF-663636-NEST-FIXT-BBK-CAS	66 36 36
MF-722436-NEST-FIXT-BBK-CAS	72 24 36
MF-723036-NEST-FIXT-LAM-CAS	72 30 36
MF-723636-NEST-FIXT-LAM-CAS	72 36 36
Product Standards - Adjustable Height + Nesting/Flip Top	
<ul style="list-style-type: none"> • Flip top and Height-adjustable worksurface range is 27"-42" AFF with casters. (Dimensions are nominal and subject to slight variation.) • Retractable hand crank. 	
	
lamine top, adjustable height + nesting - 27 to 42"h	
MF-4824-NEST-ADJT-LAM-CAS	48 24 27-42
MF-4830-NEST-ADJT-LAM-CAS	48 30 27-42
MF-4836-NEST-ADJT-LAM-CAS	48 36 27-42
MF-5424-NEST-ADJT-LAM-CAS	54 24 27-42
MF-5430-NEST-ADJT-LAM-CAS	54 30 27-42
MF-5436-NEST-ADJT-LAM-CAS	54 36 27-42
MF-6024-NEST-ADJT-LAM-CAS	60 24 27-42
MF-6030-NEST-ADJT-LAM-CAS	60 30 27-42
MF-6036-NEST-ADJT-LAM-CAS	60 36 27-42
MF-6624-NEST-ADJT-LAM-CAS	66 24 27-42
MF-6630-NEST-ADJT-LAM-CAS	66 30 27-42
MF-6636-NEST-ADJT-LAM-CAS	66 36 27-42
MF-7224-NEST-ADJT-LAM-CAS	72 24 27-42
MF-7230-NEST-ADJT-LAM-CAS	72 30 27-42
MF-7236-NEST-ADJT-LAM-CAS	72 36 27-42

ITEM	WIDTH	DEPTH	HEIGHT
butcher block top, adjustable height + nesting - 27 to 42" h			
MF-4824-NEST-ADJT-BBK-CAS	48	24	27-42
MF-4830-NEST-ADJT-BBK-CAS	48	30	27-42
MF-4836-NEST-ADJT-BBK-CAS	48	36	27-42
MF-5424-NEST-ADJT-BBK-CAS	54	24	27-42
MF-5430-NEST-ADJT-BBK-CAS	54	30	27-42
MF-5436-NEST-ADJT-BBK-CAS	54	36	27-42
MF-6024-NEST-ADJT-BBK-CAS	60	24	27-42
MF-6030-NEST-ADJT-BBK-CAS	60	30	27-42
MF-6036-NEST-ADJT-BBK-CAS	60	36	27-42
MF-6624-NEST-ADJT-BBK-CAS	66	24	27-42
MF-6630-NEST-ADJT-BBK-CAS	66	30	27-42
MF-6636-NEST-ADJT-BBK-CAS	66	36	27-42
MF-7224-NEST-ADJT-BBK-CAS	72	24	27-42
MF-7230-NEST-ADJT-BBK-CAS	72	30	27-42
MF-7236-NEST-ADJT-BBK-CAS	72	36	27-42

radius corner option

Rounded corners with 3" radius. Available for both laminate and butcher block tops.

- RAD-CRNR-LAM
- RAD-CRNR-BBK



storage depth

Storage depth dimensions provided for planning purposes.

ITEM	STORAGE DEPTH FORMULA
24" deep table storage depth	= 18" + (# of tables - 1) x 7.25"
30" deep table storage depth	= 22" + (# of tables - 1) x 7.25"
36" deep table storage depth	= 26" + (# of tables - 1) x 7.25"

